Author index

Abdel-Wahab, Z. A., Darrow, T. L., Vervaert, C. E., Giannopoulou, A.A., Li, W. & Seigler, H.F. Inhibition of the growth of human metastases in nude mice by melanoma-specific murine monoclonal antibody, 115
Alvarez, L. *see* Reintgen, D.
Andrews, V. *see* Schoof, D. D.
Andriole, G.L. *see* Gibbons, J.J.
Azizkhan, R.G. *see* Cuenca, R.E.

Banerjee, S.S. *see* Vohra, R.
Bear, H.D. *see* Tuttle, T.M.
Bender, C.E. *see* Monson, J.R.T.
Berman, C. *see* Reintgen, D.
Bland, K.I. *see* Pacitti, A. J.
Blumenson, L.E. *see* Sanchez-Forgach, E.R., Boughdady, I.S., Kinsella, A.R., Haboubi, N.Y. & Schofield, P.F. K-*ras* gene mutation in colorectal adenomas and carcinomas from familial adenomas polyposis patients, 269
Boughdady, I.S., Kinsella, A.R., Haboubi, N.Y. & Schofield, P.F. K-*ras* gene mutations in adenomas and carcinomas of the colon, 275
Boyle, T.J., Coles, R.E., Kizilbash, A.M. & Lyerly, H. K. Effects of cyclosporine on human B-cell lymphoma development *in vivo*, 79
Brennan, M.F. *see* Newman, E.
Brozena, S. *see* Reintgen, D.
Bruce, W. R. *see* Gregoire, R. C.
Buresh, C. M. *see* Fraker, D. L.
Burt, M. *see* Smith, J.W.

Cance, W.G., Craven, R.J. & Liu, E.T. Expression polymerase chain reaction: a sensitive method for analysis of gene expression in human tumours, 309
Cha, S. S. *see* Tsushima, K.
Chang, A.E. *see* Geiger, J.D.
Chapman, D. *see* Sutanto-Ward, E.
Chen, M. K. *see* Pacitti, A. J.
Chisholm, E. M. *see* Sunderland, G. T.
Chung, S. C. *see* Sunderland, G. T.
Coles, R. E. *see* Boyle, T. J.
Copeland, E. M. *see* Pacitti, A. J.
Coto, E. *see* Nuñez, F.
Cox, C. *see* Reintgen, D.
Craven, R.J. *see* Cance, W.G.
Cruse, C.W. *see* Reintgen, D.
Cuenca, R.E., Azizkhan, R.G. & Haskill, S. Characterization of GROα-, β and γ expression in human colonic tumours: potential significance of cytokine involvement, 323
Cuesta, M.A. *see* Derksen, E.J.
Curran, B. *see* Walsh, T. N.
Cusack, J.C. Jr *see* Schoof, D.D.

Daly, J.M. *see* Miller, E.J.
Daly, J.M. *see* Sergile, S.L.
Darrow, T.L. *see* Abdel-Wahab, Z.A.
Davis, N.L. *see* Kluftinger, A.M.
Derksen, E.J., Cuesta, M.A. & Meijer, S. Intraluminal ultrasound of rectal tumours: a prerequisite in decision making, 193
Doherty, G.M. *see* Fraker, D.L.
Dominguez, O. *see* Nuñez, F.
Donohue, J.H. *see* Monson, J.R.T.
Dorman, T. *see* Walsh, T.N.
Driscoll, D. *see* Sanchez-Forgach, E.R.
Droogan, O. *see* Walsh, T.N.

Earashi, M. *see* Noguchi, M.
Eberlein, T.J. *see* Schoof, D.D.
Elder, D. *see* Miller, E.J.
Ellis, L.M., Evans, D.B., Martin, D. & Ota, D.M., Laparoscopic feeding jejunostomy tube in oncology patients, 245
Eskelinen, M.J. *see* Lipponen, P.K.
Evans, D.B. *see* Ellis, L.M.
Evers, B.M. *see* Yoshinaga, K.
Evers, B.M. *see* Koo, J.Y.

Fabri, P.J. *see* Reintgen, D.
Farre, A. *see* Koo, J.Y.
Fenske, N. *see* Reintgen, D.
Finley, R.J *see* Kluftinger, A.M.
Fish, D.E. *see* Hall, N.R.
Fong, Y., Moldawere, L.L., He, W., Marano, M., Keogh, C.V, Gershenwald, J. & Lowry, S.F. Tumour location influences local cytokine production and host metabolism, 65
Ford, P.V. *see* Krag, D.N.
Fortner, J.G. *see* Smith, J.W.
Fraker, D.L., Thom, A.K., Doherty, G.M., Langstein, H.N., Buresh, C.M. & Norton, J.A. Tumour necrosis factor mediates the survival benefit of interleukin 2 in a murine pulmonary metastases model, 1
Fraker, D.L. *see* Thom, A.K.
Furrer, R. *see* Gregoire, R.C.

Gallinger, S. *see* Kashtan, H.
Geiger, J.D., Wagner, P.D., Shu, S. & Chang, A.E. A novel role for autologous tumour cell vaccination in the immunotherapy of the poorly immunogenic B16-BL6 melanoma, 199
Gershenwald, J. *see* Fong, Y.
Giannopoulou, A.A. *see* Abdel-Wahab, Z.A.
Gibbons, J.J., Parra, R.O., Andriole, G.L. & Johnson, F.E. Testicular circulatory isolation: a Phase I study, 413
Glass, F. *see* Reintgen, D.
Goedde, T.A., Rodriguez-Bigas, M.A., Herrera, L. & Petrelli, J. Gastroduodenal polyps in familial adenomatous polyposis, 357
Goldin, R.D. *see* Hall, N.R.
Goodnight, J.E. *see* Krag, D.N.
Gregoire, R.C., Kashtan, H., Stern, H.S., Yeung, K.S., Stadler, J., Neil, G.A., Furrer, R., Langley, S. & Bruce, W. R. The effect of lowering faecal pH on the rate of proliferation of the normal colonic mucosa, 43

Guerry IV, D. *see* Miller, E.J.
Guillou, P.J. *see* Hall, N.R.
Gunderson, L.L. *see* Monson, J.R.T.

Haboubi, N.Y. *see* Boughdady, I.S.
Hall, N.R., Fish, D.E., Hunt, N., Goldin, R.D., Guillou, P.J. & Monson, J.R.T. Is the relationship between angiogenesis and metastasis in breast cancer real? 223
Haller, D.G. *see* Sergile, S.L.
Harmenberg, U. *see* Von Rosen, A.
Haskill, S. *see* Cuenca, R.E.
Havenga, K., Welvaart, K. & Hermans, J. Significance of local recurrence after mastectomy for breast cancer, 363
He, W. *see* Fong, Y.
Hennessy, T.P.J. *see* Walsh, T.N.
Hermans, J. *see* Havenga, K.
Herrera, L. *see* Goedde, T.A.
Heslin, M.J. *see* Newman, E.
Hiraishi, M. *see* Konishi, T.
Hirata, T. *see* Konishi, T.
Ho, C.M., Lam, K.H., Wei, W.I. & Lau, W.F. Treatment of neck nodes in oral cancer, 73
Hourihane, D.O.B. *see* Walsh, T.N.
Humphrey, P.A. *see* Ibrahim, G.K.
Hung, J. *see* Kluftinger, A.M.
Hunt, N. *see* Hall, N.R.
Hunt, P. *see* Schoof, D.D.

Ibrahim, G.K., MacDonald, J.A., Kerns, B.-J.M., Ibrahim, S. N., Humphrey, P. A. & Robertson, C. N. Differential immunoreactivity of *her-2/neu* oncoprotein in prostatic tissues, 151
Ibrahim, S.N. *see* Ibrahim, G.K.
Idezuki, Y. *see* Konishi, T.
Inge, T.H. *see* Tuttle, T.M.
Ishizuka, J. *see* Koo, J.Y.
Ishizuka, J. *see* Parekh, D.
Izukura, M. *see* Yoshinaga, K.

Jauhiainen, K. *see* Lipponen, P.K.
Johnson, F.E., Liebscher, G.J., LaRegina, M.C. & Tolman, K. C. Preservation of fertility following doxorubicin administration in the rat, 145
Johnson, F.E. *see* Gibbons, J.J.

Kairaluoma, M.I. *see* Mäkelä, J.
Kashtan, H. *see* Gregoire, R.C.
Kashtan, H., Rabau, M., Mullen, J.B.M., Wong, A.H.C., Roder, J.C., Shpitz, B., Stern, H.S. & Gallinger, S. Intra-rectal injection of tumour cells: a novel animal model of rectal cancer, 251
Keogh, C.V. *see* Fong, Y.
Kerns, B.-J.M. *see* Ibrahim, G.K.
Kim, P-P., Yang, H-K. & Oh, S-T. Is the new UICC staging system of gastric cancer reasonable? (Comparison of 5-year survival rate of gastric cancer by old and new UICC stage classification), 209
Kinsella, A.R. *see* Boughdady, I.S.
Kitagawa, H. *see* Noguchi, M.
Kizilbash, A.M. *see* Boyle, T.J.
Kluftinger, A.M., Davis, N.L., Quenville, N.F., Lam, S., Hung, J. & Palcic, B. Detection of squamous cell cancer and pre-cancerous lesions by imaging of tissue autofluorescence in the hamster cheek pouch model, 183
Kluftinger, A.M., Robinson, B.W., Quenville, N.F., Finley, R.J. & Davis, N. L. Correlation of epidermal growth factor receptor and c-erbB2 oncogene product to known prognostic indicators of colorectal cancer, 97
Konishi, T., Miyama, T., Sakamoto, S., Hirata, T., Mafune, K., Hiraishi, M. & Idezuki, Y. Activities of thymidylate synthetase and thymidine kinase in gastric cancer, 215
Koo, J.Y., Parekh, D., Townsend Jr, C.M., Saydjari, R., Evers, B.M., Farre, A., Ishizuka, J. & Thompson, J.C. Amiloride inhibits the growth of human colon cancer cells *in vitro*, 385
Korenaga, D. *see* Moriguchi, S.
Krag, D.N., Ford, P.V., Patel, M., Schneider, P.D. & Goodnight, J.E. A simplified technique to resect abnormal bony radiolocalizations using a gamma counter, 371
Kusack, J.C. *see* Schoof, D.D.

Laitinen, S. *see* Mäkelä, J.
Lam, K.H. *see* Ho, C.M.
Lam, S. *see* Kluftinger, A.M.
Langley, S. *see* Gregoire, R.C.
Langstein, H.N. *see* Fraker, D.L.
LaRegina, M.C. *see* Johnson, F.E.
Lau, W.F. *see* Ho, C.M.
Lau, W.Y. *see* Sunderland, G.T.
Leader, M. *see* Walsh, T.N.
Leung, W.T. *see* Sunderland, G.T.
Li, A.K.C. *see* Sunderland, G.T.
Li, W. *see* Abdel-Wahab, Z.A.
Liebscher, G.J. *see* Johnson, F.E.
Lincer, R. *see* Sutanto-Ward, E.
Lind, D.S. *see* Tuttle, T.M.
Linder, S. *see* Von Rosen, A.
Lipponen, P.K., Eskelinen, M.J., Jauhianen, K., Terho, R. & Nordling, S. Independent prognostic factors in T2/T3 transitional cell bladder tumours with special referance to histoquantitative methods, 135
Liu, E.T. *see* Cance, W.G.
Lopez-Larrea, C. *see* Nũnez, F.
Lowry, S.F. *see* Fong, Y.
Lyerly, H.K. *see* Boyle, T.J.

MacDonald, J.A. *see* Ibrahim, G.K.
Maehara, Y. *see* Moriguchi, S.
Maetani, S. *see* Yamazoe, Y.
Mafune, K. *see* Konishi, T.
Mäkelä, J., Laitinen, S. & Kairaluoma, M. I. Early results of follow-up after radical resection for colorectal cancer. Preliminary results of a prospective randomized trial, 157
Mamounas, E.P. *see* Sanchez-Forgach, E.R.
Marano, M. *see* Fong, Y.
Martin, D. *see* Ellis, L.M.
Massaro, A.F. *see* Schoof, D.D.
Meijer, S. *see* Derksen, E.J.
Michigishi, T. *see* Noguchi, M.
Miller, E.J., Daly, J.M., Synnestvedt, M., Schultz, D., Elder, D. & Guerry IV, D. Loco-regional nodal relapse in melanoma, 333
Miyama, T. *see* Konishi, T.
Miyazaki, I. *see* Noguchi, M.

Mizukami, Y. *see* Noguchi, M.
Moldawere, L.L. *see* Fong, Y.
Monson, J.R.T. *see* Hall, N.R.
Monson, J.R.T., Donohue, J.H., Gunderson, L.L., Nagorney, D.M., Bender, C.E. & Sam Wieand, H., Intraoperative radiotherapy for unresectable cholangiocarcinoma - the Mayo Clinic Experience, 283
Moriguchi, S., Maehara, Y., Korenaga, D., Sugimachi, K. & Nose, Y. Risk factors which predict pattern of recurrence after curative surgery for patients with advanced gastric cancer, 341
Mullen, J.B.M. *see* Kashtan, H.

Nagorney, D.M. *see* Tsushima, K.
Nagorney, D.M. *see* Monson, J.R.T.
Nakamura, S. *see* Noguchi, M.
Newman, E., Heslin, M.J., Wolf, R.F., Pisters, P.W.T. & Brennan, M.F. The effect of insulin on glucose and protein metabolism in the forearm of cancer patients, 257
Niedzwiecki, D. *see* Sutanto-Ward, E.
Nishikawa, T. *see* Yamazoe, Y.
Noguchi, M., Saito, Y., Taniya, T., Kitagawa, H., Ohta, N., Earashi, M., Thomas, M., Miyazaki, I., Nonomura, A., Mizukami, Y., Nakamura, S. & Michigishi, T. Wide resection with latissimus dorsi muscle transposition in breast conserving surgery, 231
Nonomura, A. *see* Noguchi, M.
Nordling, S. *see* Lipponen, P. K.
Norton, J.A. *see* Fraker, D.L.
Norton, J.A. *see* Thom, A.K.
Nose, Y. *see* Moriguchi, S.
Nuñez, F., Dominguez, O., Coto, E., Suarez-Nieto, C., Perez, P. & Lopez-Larrea, C. Analysis of ras oncogene mutations in human squamous cell carcinoma of the head and neck, 405

Obando, J.A. *see* Schoof, D.D.
Oh, S-T. *see* Kim, P-P.
Ohta, N. *see* Noguchi, M.
Onodera, H. *see* Yamazoe, Y.
Ota, D.M. *see* Ellis, L.M.

Pacitti, A. J., Chen, M. K., Bland, K. I., Copeland, E. M. & Souba, W. W. Mechanisms of accelerated hepatic glutamine efflux in the tumour-bearing rat, 173
Palcic, B. *see* Kluftinger, A.M.
Parekh, D. *see* Koo, J.Y.
Parekh, D. *see* Yoshinaga, K.
Parekh, D., Saydjari, R., Ishizuka, J., Townsend Jr, C.M. & Thompson, J.C. Sodium butyrate stimulates polyamine biosynthesis in colon cancer cells, 315
Parra, R.O. *see* Gibbons, J.J.
Patel, M. *see* Krag, D.N.
Perez, P. *see* Nuñez, F.
Petrelli, J. *see* Goedde, T.A.
Pisters, P.W.T. *see* Newman, E.
Prescott, R.J. *see* Vohra, R.
Putman, E.A., Yen, N., Gallick, G.E., Steck, P.A., Fang, K., Akpakip, B., Gazdar, A.F. & Roth, J. A. Autocrine growth stimulation by transforming growth factor-a in human non-small cell lung cancer, 49

Quenville, N.F. *see* Kluftinger, A.M.

Rabau, M. *see* Kashtan, H.
Reiman, H.M. *see* Tsushima, K.
Reintgen, D., Cruse, C.W., Wells, K., Stankard, C., Saba, H., Schroer, K., Cox, C., Berman, C., Glass, F., Alvarez, L., Brozena, S., Fenske, N. & Fabri, P.J. The effectiveness of skin cancer screening and continuing medical education programs toward increasing the survival of patients with malignant melanoma, 379
Robertson, C.N. *see* Ibrahim, G.K.
Robinson, B.W. *see* Kluftinger, A.M.
Roder, J.C. *see* Kashtan, H.
Rodriguez-Bigas, M.A. *see* Goedde, T.A.

Saba, H. *see* Reintgen, D.
Saito, Y. *see* Noguchi, M.
Sakamoto, S. *see* Konishi, T.
Sam Wieand, H. *see* Monson, J.R.T.
Sanchez-Forgach, E.R., Mamounas, E.P., Warneke, J., Driscoll, D., Blumenson, L.E. & Tsangaris, T.N. Factors affecting outcome in locally advanced breast cancer, 347
Saydjari, R. *see* Koo, J.Y.
Saydjari, R. *see* Parekh, D.
Schneider, P.D. *see* Krag, D.N.
Schofield, P.F. *see* Vohra, R.
Schofield, P.F. *see* Boughdady, I.S.
Schoof, D.D., Hunt, P., Obando, J.A., Cusack, J.C. Jr, Andrews, V., Terashima, Y. & Eberlein, T.J. Secondary cytokine production by lymphoid cells used in cellular immunotherapy, 163
Schoof, D.D., Massaro, A.F., Obando, J.A., Kusack, J.C. & Eberlein, T. J. The biological effects of immunosuppression on cellular immunotherapy, 27
Schroer, K. *see* Reintgen, D.
Schultz, D. *see* Miller, E.J.
Seigler, H.F. *see* Abdel-Wahab, Z.A.
Sergile, S.L., Haller, D.G. & Daly, J.M. Use of radiolabelled monoclonal antibodies in patients with primary and metastatic large bowel cancer, 391
Shpitz, B. *see* Kashtan, H.
Shu, S. *see* Geiger, J.D.
Sigurdson, E.R. *see* Sutanto-Ward, E.
Smith, J.W., Fortner, J.G. & Burt, M. Resection of hepatic and pulmonary metastases from colorectal cancer, 399
Souba, W.W. *see* Pacitti, A.J.
Stadler, J. *see* Gregoire, R.C.
Stankard, C. *see* Reintgen, D.
Stern, H. S. *see* Gregoire, R.C.
Stern, H.S. *see* Kashtan, H.
Suarez-Nieto, C. *see* Nuñez, F.
Sugimachi, K. *see* Moriguchi, S.
Sunderland, G.T., Chisholm, E.M., Lau, W.Y., Chung, S.C., Leung, W.T. & Li, A.K.C. Alcohol injection: a treatment for ruptured hepatocellular carcinoma, 61
Sutanto-Ward, E., Sigurdson, E.R., Tremiterra, S., Lincer, R., Chapman, D. & Niedzwiecki, D. Adjuvant chemotherapy for colorectal hepatic metastases: role of route of administration and timing, 87
Synnestvedt, M. *see* Miller, E.J.

Tsangaris, T.N. *see* Sanchez-Forgach, E.R.
Taniya, T. *see* Noguchi, M.
Taubenberger, J.K. *see* Thom, A.K.

Terashima, Y. *see* Schoof, D.D.
Terho, R. *see* Lipponen, P.K.
Thom, A.K. *see* Fraker, D.L.
Thom, A.K., Fraker, D.L., Taubenberger, J.K. & Norton, J.A. Effective regional therapy of experimental cancer with paralesional administration of tumour necrosis factor-α + interferon-γ, 291
Thomas, M. *see* Noguchi, M.
Thompson, J.C. *see* Yoshinaga, K.
Thompson, J.C. *see* Koo, J.Y.
Thompson, J.C. *see* Parekh, D.
Tobe, T. *see* Yamazoe, Y.
Tolman, K.C. *see* Johnson, F.E.
Townsend, C.M., Jr *see* Yoshinaga, K.
Townsend Jr, C.M. *see* Koo, J.Y.
Townsend Jr, C.M. *see* Parekh, D.
Tremiterra, S. *see* Sutanto-Ward, E.
Tsushima, K., Nagorney, D.M., Cha, S.S. & Reiman, H. M. Correlation of DNA ploidy, histopathology, stage and clinical outcome in gastric carcinoma, 17
Tuttle, T.M., Inge, T.H., Lind, D.S. & Bear, H.D. Adoptive transfer of bryostatin 1-activated T cells provides long-term protection from tumour metastases, 299

Uchida, T. *see* Yoshinaga, K.

Vervaert, C.E. *see* Abdel-Wahab, Z.A.
Vohra, R., Prescott, R. J., Banerjee, S. S., Wilkinson, P. M. & Schofield, P. F. Management of neutropenic colitis, 11
Von Rosen, A., Linder, S., Harmenberg, U. & Wiechel, K. -L. Clinical relevance of tumour markers CA 19-9 and CA-50 in sera from patients with pancreatic duct carcinoma, 109

Wagner, P.D. *see* Geiger, J.D.
Walsh, T.N., Dorman, T., Droogan, O., Curran, B., Hourihane, D.O.B., Leader, M. & Hennessy, T.P.J. DNA ploidy in squamous oesophageal carcinoma, 37
Warneke, J. *see* Sanchez-Forgach, E.R.
Wei, W.I. *see* Ho, C.M.
Wells, K. *see* Reintgen, D.
Welvaart, K. *see* Havenga, K.
Wiechel, K.-L. *see* Von Rosen, A.
Wilkinson, P.M. *see* Vohra, R.
Wolf, R.F. *see* Newman, E.
Wong, A.H.C. *see* Kashtan, H.

Yamazoe, Y., Maetani, S., Onodera, H., Nishikawa, T. & Tobe, T. Histopathological prediction of liver metastasis after curative resection of colorectal cancer, 237
Yang, H-K. *see* Kim, P-P.
Yeung, K.S. *see* Gregoire, R.C.
Yoshinaga, K., Evers, B.M., Izukura, M., Parekh, D., Uchida, T., Townsend, C. M., Jr & Thompson, J. C. Neurotensin stimulates growth of colon cancer, 127

Keyword index

adenoma, 275
adenomas, 269
adjuvant chemotherapy, 87
adoptive immunotherapy, 299
Akaike information criterion, 237
amiloride, 385
amino acid transport, 173
angiogenesis, 223
animal model, 251
antiport, 385
autocrine, 49
autofluorescence lasers, 183

B-cell lymphoma, 79
benign prostatic hyperplasia, 151
biliary stenting, 283
biopsy, 371
bladder tumour, 135
bone, 371
breast cancer, 231, 347, 363
breast carcinoma, 223
breast conserving treatment, 231
breast reconstruction, 231
bryostatin 1, 299

c-erbB2, 97
c-*erb*B-2, 151
CA 19-9, 109
CA-50, 109
cachexia, 65, 257
cancer, 65, 245, 257
carcinoma, 275
carcinomas, 269
cellular immunotherapy, 163
chemotherapy, 11
cholangiocarcinoma, 283
cholangitis, 283
codon 12, 269, 275
colitis, 11
colon, 275
colon cancer, 127, 323, 385
colon carcinoma, 399
colorectal cancer, 43, 97, 237, 391
colorectal liver metastases, 87
colorectal neoplasms, 157
comparative study, 157
complications, 11
cosmesis, 231
cyclophosphamide, 27
cyclosporine, 79

depth of invasion, 209
differentiation, 315
difluoromethylornithine, 385
distant metastasis, 363
DNA ploidy, 135
DNA quantification, 37
doxorubicin, 145
drug toxicity, 145, 413
Dukes staging, 97

education, 379
effector cells, 299
EGFr, 97
enteral nutrition, 245
epidermal growth factor receptor, 49
Epstein-Barr virus, 79
esophagus, 37
experimental metastases, 115

factor VIII, 223
faecal pH, 43
familial adenomatous polyposis, 269, 357
flow cytometry, 37
follow-up, 157

gamma counter, 371
gastric cancer, 209, 215, 341
gastric carcinoma, 11
gastroduodenal, 357
gene expression, 309
GROa gene, 323

haematogenous metastasis, 341
haemoperitoneum, 61
head and neck cancer, 405
hepatocellular carcinoma, 61
HER-2/*neu*, 151
human trial, 163

IL-1β, 323
IL-2, 27, 163
image analysis, 37
immunosuppression, 27
immunotherapy, 27, 115, 199
infertility, 145, 413
insulin, 257
interferon-gamma, 163, 291
interleukin-2, 1
interleukin-6, 65
interorgan glutamine metabolism, 173
intraluminal ultrasound, 193
intraoperative radiation therapy, 283

K-*ras*, 269
K-*ras* gene, 275

labelling index, 43
laparoscopy, 245
latissimus dorsi muscle, 231
liver, 65, 173
liver/pulmonary metastases, 399
local recurrence, 363
locally advanced, 347
lung cancer, 49
lymph node dissection, 333
lymph node metastasis, 209
lymph node relapse, 333
lymphokines, 115

malignancy, 173
malignant melanoma, 115
melanoma, 199, 333
melanoma survival, 379
metabolism, 257
metachronous liver metastasis, 237
metastases, 251, 391
metastasis, 199, 223
metastatic, 371
MGSA, 323
mitotic index, 135
modified radical mastectomy, 363
monoclonal antibodies (MABs), 115, 391
morphometry, 135
morris hepatomaæ,œ 65
multivariate analysis, 341
murine sarcoma, 291
mutation, 269
mutations, 275, 405

neck control, 73
neurotensin, 127
neutropenia, 11
nodal recurrence, 73
nodal status, 73
nuclear DNA patterns, 11

ODC activity, 315
oesophagus, 37
oligonucleotide probes, 405
oral cancer, 73
ornithine decarboxylase, 385
outcome, 347

pancreatic cancer, 109
paralesional therapy, 291
peritoneal dissemination, 341
phenylalanine kinetics, 257
plasma membrane vesicles, 173
ploidy, 37
polyamines, 315
polymerase chain reaction, 405
poorly differentiated adenocarcinoma, 215
prediction of metastasis, 237
prognostic factors, 347
prognostic indicator, 223

prognostic indicators, 97
prophylactic hepatectomy, 237
prostate, 151
prostatic carcinoma, 151
prostatic intraepithelial neoplasia, 151
protein kinase C, 299
pulmonary metastases, 1
putrescine, 385
pyrimidine synthesis, 215

quality of life, 231

radiation therapy, 283, 333
radical mastectomy, 363
radical neck dissection, 73
random allocation, 157
ras oncogenes, 405
rat, 145
rectal cancer, 193, 251
recurrence pattern, 341
regional drug delivery, 145, 413
regional recurrence, 363
RNA polymerase chain reaction, 309
rupture, 61

S-phase fraction, 135
SCID mouse, 79
screening, 379
secondary cytokines, 163
sequential MTX and 5-FU, 215
sodium butyrate, 315
squamous cell cancer, 183
studies, 157
survival, 73, 135
survival curves, 209

T-cells, 199
technetium, 371
testicle, 413
thymidine kinase, 215
thymidylate synthetase, 215
TIL, 27
TNFa, 323
transforming growth factor alpha, 49
transplantation, 79
tube jejunostomy, 245
tumour markers, 109
tumour necrosis factor, 1, 65, 163, 291
tumourigenesis, 251

UICC clinical staging, 209

vaccine, 199

WHO grade, 135

xenobiotic, 145
xenografts, 115